

# Receiving Report

Date: 17-03-3  
 Supplier: Aviall

Batch No: B6966  
 Dart P/O: 35447

Packing Slip: Yes ☒ No ☐  
 Invoice: Yes ☒ No ☐  
 Receipt: Cash ☐ Cr ☒  
 New Supplier Yes ☐ No ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐  
 Waybill Attached: Yes ☒ No ☐  
 Shipment Complete: Yes ☒ No ☐ N/A ☐  
 QC18 Inspection ☐ N/A ☒  
 Work Order ☐ N/A ☒

## Discrepancies

Part Number	Description	Quantity Ordered	Quantity Rec'd	Quantity Short	Quantity Inspected	Quantity Rejected	Comment / NCR Number

Initials of Receiver

QC12

SP

Production/Admin:

Date \_\_\_\_\_  
 Received/Costing \_\_\_\_\_  
 Initial \_\_\_\_\_

Location \_\_\_\_\_



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO35447

Purchase Order Date 2/28/2017

PO Print Date 2/28/2017

Page Number 1 of 1

**Order From :**

VU-AVI003

**Ship To :** DART AEROSPACE LTD

AVIALL  
PO BOX 842275

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

DALLAS, TX 75284-2275  
USA

E-MAILED

FEB 28 2017

**Contact Name**

**Vendor Phone** 905-676-1695

**Buyer**

Chantal Lavoie

**Customer POID**

**Customer Tax #** 10127-2607

**Terms**

Net 30

**Currency**

USD

**FOB**

EXW - (Ex Works)

**Ship To Contact**

**Ship To Phone**

**Ship Via:**

**Ship Acct:**

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	71900-90	006653 16OZ HENKEL ALODINE 600	2/3/2017 Yes 2/3/2017		2.00 Each	\$35.27	\$70.54
EXP DATE: JANUARY 1 2018							

**Deliver To:** CHANTAL

**Line Total:** \$70.54

**PO Total:** \$70.54

SP17-03-3

CL

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

Change Nbr: 1

Change Date: 2/28/2017



## PACKING LIST



DELIVERY NUMBER: 8004183210

ROUTE: US FedEx International Priority

PAGE: 1 of 1  
DATE: 28FEB17  
TIME: 17:28:23  
EMP: 00000000ORD TYP: ZOR 132  
CURRENCY: USD  
TERMS: Net 30CUSTOMER PO: 35447  
ORDER NUMBER: 1002896270  
ORDER DATE: 28FEB17B 10003951  
I DART AEROSPACE LTD  
L 1270 ABERDEEN STREET  
L HAWKESBURY ON K6A 1K7  
T CANADA  
OS 10003951  
H DART AEROSPACE LTD  
I 1270 ABERDEEN STREET  
P HAWKESBURY ON K6A 1K7  
T CANADA  
OS 1000  
H AVIALL CENTRAL WAREHOUSE  
I DALLAS CDC  
P 2750 REGENT BLVD  
FROM DFW AIRPORT TX 75261  
USA

LINE	PO LINE	MFG	ITEM DESCRIPTION	ORDER QUANTITY	SHIP QUANTITY	QUANTITY BACK ORDER	UOM	CUSTOMER PRICE	EXTENDED CUSTOMER PRICE
00010	0	CD	006653 COATING: CONVERSION, 16OZ BATCH 7364451502 Exp Date: 01JAN18 Customer Material No: 006653	2	2	2	0 EA	35.27	70.54

2017-03-3

**This is not an Invoice.**  
**For payment processing, please refer to Invoice.**

The recipient of these goods agrees to comply with all export regulations governing the transfer, sale, lease, or use of these goods.  
Diversion contrary to U.S. Law is prohibited.

## CERTIFICATE OF CONFORMANCE

It is hereby certified that Aviall Services, Inc., is an approved distributor and meets all requirements of ISO9001, AS9100, AS9120 and AC 00-56 at 2750 Regent Blvd. DFW Airport, Texas. The products, articles or parts referenced on this document are in new or overhauled condition and were purchased from an approved source (FAA, EASA, TCCA, Mil Spec or Commercial). The Original Manufacturers' Certifications are maintained on file at our central office location, and copies are available upon request or at Aviall.com. For overhauled or repaired products, articles or parts, the original FAA 8130-3 / EASA Form 1 (Return to Service) or Yellow Tag, from the FAA/JAA/EASA approved Air Agency are attached to the component.

28FEB17  
Date

DISCOUNT TERMS APPLY ONLY TO SUB TOTAL. ALL  
RETURNED MERCHANDISE SUBJECT TO HANDLING  
FEE.  
THIS IS TO CERTIFY THAT AVIALL HAS COMPLIED WITH  
THE PROVISIONS OF THE FAIR LABOR ACT OF 1938  
AMENDED.

CUSTOMER COPY



## BOX CONTENT LIST



ODO: 310005723488

ROUTE: FDXIPA

PAGE: 1 of 1  
DATE: 02/28/2017  
TIME: 17:27:38

Handling Unit: 110000000501987868

Packed at WorkCenter: SI02

CUSTOMER PO:35447  
ORDER NUMBER:8004183210B CU10003951  
I DART AEROSPACE LTD  
L 1270 ABERDEEN STREET  
L HAWKESBURY ON K6A 1K7  
T CANADA  
OS CU10003951  
H DART AEROSPACE LTD  
I 1270 ABERDEEN STREET  
P HAWKESBURY ON K6A 1K7  
T CANADA  
OS 1000  
H AVIALL CENTRAL WAREHOUSE  
I DALLAS CDC  
P PO Box 619048  
F DFW AIRPORT TX 75261  
R USA  
M

LINE	PO LINE	MFG	ITEM DESCRIPTION	ORDER QUANTITY	SHIP QUANTITY	UOM			
00010		CD	006653=CD COATING: CONVERSION,16OZ	2	2	EA			
			BATCH 7364451502 Exp Date: 01/01/2018		2				

SP17-03-3

**This is not an invoice.**  
**For payment processing, please refer to Invoice.**

The recipient of these goods agrees to comply with all export regulations governing the transfer, sale, lease or use of these goods.  
Diversion contrary to U.S. Law is prohibited.

## CERTIFICATE OF CONFORMANCE

It is hereby certified that Aviall Services, Inc., is an approved distributor and meets all requirements of ISO9001, AS9100, AS9120 and AC 00-56 at 2750 Regent Blvd. DFW Airport, Texas. The products, articles or parts referenced on this document are in new or overhauled condition and were purchased from an approved source (FAA, EASA, TCCA, Mil Spec or Commercial). The Original Manufacturers' Certifications are maintained on file at our central office location, and copies are available upon request or at Aviall.com. For overhauled or repaired products, articles or parts, the original FAA 8130-3 / EASA Form 1 (Return to Service) or Yellow Tag, from the FAA/JAA/EASA approved Air Agency are attached to the component.

DISCOUNT TERMS APPLY ONLY TO SUB TOTAL. ALL  
RETURNED MERCHANDISE SUBJECT TO HANDLING  
FEE.

THIS IS TO CERTIFY THAT AVIALL HAS COMPLIED WITH  
THE PROVISIONS OF THE FAIR LABOR ACT OF 1938  
AMENDED.



A BOEING COMPANY

AVIALL SERVICES INC  
2750 REGENT BLVD  
DFW AIRPORT TX 75261  
USA

# Commercial Invoice

Government Transaction Number

NOEEI FTR 30.36

Tracking Number

722544247916

Delivery Number

8004183210

Commercial Invoice Number

9305192854

Ship Date

28 February, 2017

Incoterms

EXW Shipping Point

Ship From LU\_US\_1000

AVIALL CENTRAL WAREHOUSE  
2750 REGENT BLVD.  
DFW AIRPORT TX 75261  
USA

Sold To DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA	10003951	Ultimate Consignee DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA	10003951	Ship To DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA	10003951	Freight Forwarder FEDEX FEDEX NATIONAL LTL INC PO BOX 94515 PALATINE IL 60094-4515	400010
						Tax Number: 20-4734803	

Comments:

Item	Part Number & Description	Country of Origin	Quantity	UOM	Unit Value USD	Extended Value USD
10	006653 - COATING: CONVERSION,16OZ Export Tariff: 2819100000 Export Classification: EAR99 Authorization: NLRAT_FEB_2017 Sales Order: 1002896270 Customer PN: 006653 PO: 35447 Batch Number: 7364451502	US	2	EA	35.27	70.54

8817-03-3



A BOEING COMPANY

# Commercial Invoice

Delivery Number	Commercial Invoice Number
8004183210	9305192854

Item	Part Number & Description	Country of Origin	Quantity	UOM	Unit Price USD	Extended Value USD
------	---------------------------	-------------------	----------	-----	-------------------	-----------------------

Gross Value	70.54
Add on Charges	
Tax Value	
Freight Charges	
Total Net Value	70.54

**FOR CUSTOMS PURPOSES ONLY  
NOT A BILLING INVOICE**

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end user(s) here in identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. government or as otherwise authorized by U.S. law and regulations.

SP17-03-3



Revision Number: 004.3

Issue date: 09/11/2014

**1. PRODUCT AND COMPANY IDENTIFICATION****Product name:** BONDERITE M-CR 600RTU AERO  
known as ALODINE 600 RTU**IDH number:** 595387**Product type:** Conversion coating**Restriction of Use:** None identified**Region:** United States**Company address:**Henkel Corporation  
One Henkel Way  
Rocky Hill, Connecticut 06067**Contact information:**Telephone: (860) 571-5100  
MEDICAL EMERGENCY Phone: Poison Control Center  
1-877-671-4608 (toll free) or 1-303-592-1711  
TRANSPORT EMERGENCY Phone: CHEMTREC  
1-800-424-9300 (toll free) or 1-703-527-3887  
Internet: www.henkelna.com**2. HAZARDS IDENTIFICATION****EMERGENCY OVERVIEW****DANGER:** HARMFUL IF SWALLOWED.  
MAY CAUSE AN ALLERGIC SKIN REACTION.  
TOXIC IF INHALED.  
MAY CAUSE CANCER.

HAZARD CLASS	HAZARD CATEGORY
ACUTE TOXICITY ORAL	4
ACUTE TOXICITY INHALATION	3
SKIN SENSITIZATION	1
CARCINOGENICITY	1A

**PICTOGRAM(S)****Precautionary Statements**

**Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing vapors, mist, or spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves. Use personal protective equipment as required.

**Response:** If SWALLOWED: Immediately call poison control or physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF exposed or concerned: Get medical attention. Call a poison control center or physician. Rinse mouth. If skin irritation or rash occurs: Get medical attention. Wash contaminated clothing before reuse.

**Storage:** Store in a well-ventilated place. Keep container tightly closed. Store locked up.

**Disposal:** Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Percentage*
Sodium borofluoride	13755-29-8	0.1 - 1
Sodium chromate	7775-11-3	0.1 - 1
Dipotassium hexafluorozirconate	16923-95-8	0.1 - 1
Sodium nitrate	7631-99-4	0.1 - 1
Chromic acid	7738-94-5	0.1 - 1

\* Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protections.

### 4. FIRST AID MEASURES

<b>Inhalation:</b>	If mist or vapor of this product is inhaled, remove person immediately to fresh air. Seek medical attention if symptoms develop or persist.
<b>Skin contact:</b>	Remove contaminated clothing and footwear. For skin contact, flush with large amounts of water. Seek immediate medical attention. If irritation persists, repeat flushing and get medical attention. Discard any shoes or clothing items that cannot be decontaminated.
<b>Eye contact:</b>	In case of contact with the eyes, rinse immediately with plenty of water for 15 minutes, and seek immediate medical attention.
<b>Ingestion:</b>	Get immediate medical attention. Do not induce vomiting. Give one to two glasses of water or milk. Never give anything by mouth to a victim who is unconscious or is having convulsions.
<b>Symptoms:</b>	See Section 11.

### 5. FIRE FIGHTING MEASURES

<b>Extinguishing media:</b>	Use media appropriate for surrounding material.
<b>Special firefighting procedures:</b>	Wear full protective clothing. Wear self-contained breathing apparatus.
<b>Unusual fire or explosion hazards:</b>	This product is an aqueous mixture which will not burn. If evaporated to dryness, solid residue is an oxidizing agent and may cause spontaneous ignition of combustible materials.
<b>Hazardous combustion products:</b>	Oxides of nitrogen.

### 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

<b>Environmental precautions:</b>	Prevent further leakage or spillage if safe to do so. Wear appropriate protective equipment and clothing during clean-up. Do not allow product to enter sewer or waterways.
<b>Clean-up methods:</b>	Absorb spill with inert material. Shovel material into appropriate container for disposal. Dispose of according to Federal, State and local governmental regulations.



## 7. HANDLING AND STORAGE

**Handling:**

Avoid contact with eyes, skin and clothing. Avoid breathing mists or aerosols of this product. Wash thoroughly after handling. Provide adequate ventilation. For industrial use only. Do not take internally.

**Storage:**

For safe storage, store between 5 °C (41°F) and 40 °C (104°F)  
Keep container tightly closed and in a cool, well-ventilated place away from incompatible materials.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Sodium borofluoride	2 mg/m3 TWA Inhalable fraction. 6 mg/m3 STEL Inhalable fraction.	None	None	None
Sodium chromate	0.05 mg/m3 TWA (as Cr)	0.005 mg/m3 TWA 0.0025 mg/m3 OSHA_ACT  1 mg/m3 PEL (as Cr) 0.1 mg/m3 Ceiling	None	None
Dipotassium hexafluorozirconate	5 mg/m3 TWA (as Zr) 10 mg/m3 STEL (as Zr) 2.5 mg/m3 TWA (as F)	5 mg/m3 PEL (as Zr) 2.5 mg/m3 PEL (as F) 2.5 mg/m3 TWA Dust.	None	None
Sodium nitrate	None	None	None	None
Chromic acid	0.05 mg/m3 TWA (as Cr)	0.005 mg/m3 TWA 0.0025 mg/m3 OSHA_ACT 0.1 mg/m3 Ceiling	None	None

**Engineering controls:**

Provide local and general exhaust ventilation to effectively remove and prevent buildup of any vapors or mists generated from the handling of this product.

**Respiratory protection:**

If ventilation is not sufficient to effectively prevent buildup of aerosols, mists or vapors, appropriate NIOSH/MSHA respiratory protection must be provided.

**Eye/face protection:**

Wear chemical goggles; face shield (if splashing is possible).

**Skin protection:**

Wear impervious gloves for prolonged contact. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron and boots are recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical state:**

Liquid

**Color:**

Orange

**Odor:**

Bland

**Odor threshold:**

Not available.

**pH:**

< 2

**Vapor pressure:**

Not determined

**Boiling point/range:**

> 100 °C (> 212°F)

**Melting point/ range:**

Not determined

**Specific gravity:**

1.01 - 1.03

Vapor density:	Not determined
Flash point:	Not applicable
Flammable/Explosive limits - lower:	Not applicable
Flammable/Explosive limits - upper:	Not applicable
Autoignition temperature:	Not applicable
Evaporation rate:	Not determined
Solubility in water:	Complete
Partition coefficient (n-octanol/water):	Not determined
VOC content:	0 % (calculated)
Viscosity:	Not available.
Decomposition temperature:	Not available.

## 10. STABILITY AND REACTIVITY

Stability:	Stable at normal conditions.
Hazardous reactions:	Will not occur.
Hazardous decomposition products:	Decomposes with heat to produce oxides of nitrogen.
Incompatible materials:	Avoid contact with organic materials, oils, greases, and any oxidizable materials.
Reactivity:	Not available.
Conditions to avoid:	None identified.

## 11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure:	Skin, Inhalation, Eyes
------------------------------	------------------------

## Potential Health Effects/Symptoms

<b>Inhalation:</b>	Mists, vapors or liquid may cause severe irritation or burns. Prolonged or repeated breathing may cause ulceration of nasal membranes.
<b>Skin contact:</b>	Contact with broken skin may lead to formation of firmly margined "chrome sores". Product contains chromium, which may cause an allergic skin sensitization reaction. Massive overexposures may lead to kidney failure and death.
<b>Eye contact:</b>	This product is severely irritating to the eyes and may cause irreversible damage including burns and blindness.
<b>Ingestion:</b>	This product may produce corrosive damage to the gastrointestinal tract if it is swallowed.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
Sodium borofluoride	None	Cardiac, Central nervous system, Developmental, Gastrointestinal, Irritant, Kidney, Metabolic, Reproductive
Sodium chromate	Oral LD50 (RAT) = 13 - 28 mg/kg Oral LD50 (RAT) = 51.91 mg/kg Oral LD50 (RAT) = 51.91 mg/kg Oral LD50 (RAT) = 13 mg/kg Oral LD50 (RAT) = 28 mg/kg Dermal LD50 ( ) = 533 mg/kg Dermal LD50 ( ) = 1,600 mg/kg Dermal LD50 ( ) = 426 mg/kg Dermal LD50 (RABBIT) = 426 mg/kg Dermal LD50 (RABBIT) = 553 mg/kg Dermal LD50 (RABBIT) = 1,600 mg/kg Inhalation LC50 ( ) = 0.033 mg/l Inhalation LC50 ( ) = 0.10414 mg/l Inhalation LC50 (RAT, 4 h) = 0.033 mg/l Inhalation LC50 (RAT) = 0.10414 mg/l	Irritant, Respiratory, Central nervous system, Allergen, Liver, Kidney, Developmental, Reproductive, Corrosive, Carcinogen, Mutagen, Blood
Dipotassium hexafluorozirconate	None	Allergen, Blood, Cardiac, Central nervous system, Corrosive, Gastrointestinal tract, Irritant, Kidney, Lung, Metabolic, Muscle, Teeth, Less weight gain and food intake.
Sodium nitrate	Oral LD50 (RAT) = 1,267 mg/kg Oral LD50 (RABBIT) = 1,600 mg/kg Oral LD50 (RABBIT) = 1,955 mg/kg Oral LD50 (RABBIT) = 2,680 mg/kg	Blood, Central nervous system, Corrosive, Gastrointestinal, Irritant
Chromic acid	None	Allergen, Blood, Carcinogen, Central nervous system, Corrosive, Developmental, Eyes, Gastrointestinal, Irritant, Kidney, Liver, Mutagen, Reproductive, Respiratory

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Sodium borofluoride	No	No	No
Sodium chromate	Known To Be Human Carcinogen.	Group 1	Yes
Dipotassium hexafluorozirconate	No	No	No
Sodium nitrate	No	No	No
Chromic acid	No	No	Yes

## 12. ECOLOGICAL INFORMATION

Ecological information: Not available.

### 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

**Recommended method of disposal:** Follow all local, state, federal and provincial regulations for disposal.

**Hazardous waste number:** This product contains chromium which is a hazardous waste (D007).

### 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

#### U.S. Department of Transportation Ground (49 CFR)

**Proper shipping name:** RQ, Environmentally hazardous substances, liquid, n.o.s.  
**Hazard class or division:** 9  
**Identification number:** UN 3082  
**Packing group:** III  
**DOT Hazardous Substance(s):** Sodium bichromate, Chromic acid

#### International Air Transportation (ICAO/IATA)

**Proper shipping name:** Environmentally hazardous substance, liquid, n.o.s.  
**Hazard class or division:** 9  
**Identification number:** UN 3082  
**Packing group:** III

#### Water Transportation (IMO/IMDG)

**Proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
**Hazard class or division:** 9  
**Identification number:** UN 3082  
**Packing group:** III  
**Additional information:** IMDG-Code: Segregation group 1- Acids

### 15. REGULATORY INFORMATION

#### United States Regulatory Information

**TSCA 8 (b) Inventory Status:** All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

**TSCA 12 (b) Export Notification:** Sodium chromate (CAS# 7775-11-3).

**CERCLA/SARA Section 302 EHS:** None above reporting de minimis  
**CERCLA/SARA Section 311/312:** Immediate Health, Delayed Health  
**CERCLA/SARA Section 313:** This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). Sodium chromate (CAS# 7775-11-3). Chromic acid (CAS# 7738-94-5).  
**CERCLA Reportable quantity:** Chromic acid (CAS# 7738-94-5) 10 lbs. (4.54 kg)  
Sodium chromate (CAS# 7775-11-3) 10 lbs. (4.54 kg)

**California Proposition 65:** This product contains a chemical known in the State of California to cause cancer. This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

#### Canada Regulatory Information

**CEPA DSL/NDL Status:** All components are listed on or are exempt from listing on the Canadian Domestic Substances List.

### 16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: New information added in Section(s): 1 and 9.

**Prepared by:** John DiCerbo, Sr. Regulatory Affairs Specialist

**Issue date:** 09/11/2014

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

# Packing List

## Andpak Inc

Andpak Inc  
400 Jarvis Drive  
Morgan Hill, CA 95037  
Phone: 408-782-2500

S205297



### Ship To:

AVIALL SERVICES, INC.  
2750 REGENT BLVD  
DFW AIRPORT, TX 75261  
UNITED STATES  
PO Number: 45562638

### Bill To:

AVIALL SERVICES, INC. ACCT 4429  
P.O. BOX 619048  
email inv's: apinvoices@aviall.com  
DFW AIRPORT, TX 75261  
UNITED STATES

Aviall's T&C' on file. 80% s/l required except Alodine and Akzo Nobel products.  
BUYER: HEATHER WARD EM: heather.ward@aviall.com

Lot # refer to cert

Carton Count	Req. Ship Date	FOB Point	Shipping Terms	Ship Via	Order Num
1	01/20/2017	Origin	COLLECT	Fed Ex Ground	205297

### Carton Information

Carton 1	60 lbs
<b>Total: 1</b>	<b>60 lbs</b>

Line #	Item / Description	Qty Ordered	Qty Shipped	Qty Remaining
1	006653; ALODINE 600 RTU BOTTLE 16 OZ PPS #G528 WO #19637	4 cs12	4 cs12	0 cs12
2	101479; ANDPAK CERT OF CONFORMANCE	1 ea	1 ea	0 ea
3	101835; MSDS ANDPAK	1 ea	1 ea	0 ea
4	101829; MFRS CERT OF CONFORMANCE	1 ea	1 ea	0 ea

ITEM 006653=CD



BATCH 7364451502



GRIVAS  
01/11/17



January 4, 2017 10:34:26 AM PST

Page 1 of 1

AVIALL - TRUE CERTIFIED COPY | 02/28/2017 | Ship #: 8004183210 | Line: 10 | 7364451502 | Qty: 2 | CPO: 35447

ANDPAK, INC.  
400 JARVIS DRIVE  
MORGAN HILL, CA. 95037  
(408) 782-2500

**MATERIAL CERTIFICATION**

DATE: JANUARY 3, 2017 (DOS)

TO: AVIALL SERVICES, INC.

ATTN:

PURCHASE ORDER NO.: 45562638


We hereby certify that the goods supplied on this purchase order were produced in compliance with the requirements of the Fair Labor Standards Act, as amended, and of regulations and orders of the United States Department of Labor issued thereunder. Materials furnished have been manufactured and/or packaged in accordance with all applicable instructions and specifications.

The user shall determine the suitability of this product for its intended use and user assumes all risk and liability in connection therewith. Certification, test reports or any applicable documents pertaining to this purchase order are kept on file and available for review at Andpak, Inc.

BONDERITE M-CR 600 RTU AERO  
CHROMATE COATING  
BAC 5719  
KNOWN AS: ALODINE 600 RTU (006653)  
NET: 16 FL. OUNCES  
LOT# PB63787187      PKG: 12/2016  
DOM: 09/13/2016      DOE: 12/2017

QUANTITY SHIPPED: 4 CASES (INV. # 205297)

Shelf life is 12 months from the package date, unless otherwise stated above.  
Refer to product SDS and tech data sheets for the proper handling and storage requirements.

  
ANDPAK, INC.  
NATALIE BRAGG,  
QUALITY ASSURANCE

enkel

## Certificate of Analysis

**Henkel Corporation**  
23343 Sherwood Ave  
Warren MI 48091

DATE  
PAGE

07/November/2016  
1 from 1

Attention of:  
Krayden Inc  
18330 Sutter Blvd  
Morgan Hill CA 95037-2841

YOUR ORDER: 86578  
DATE OF ORDER: 11/August/2016  
DELIVERY NOTE: 87304033  
DELIVERY POSITION: 900001  
CUSTOMER NO: 435638

Contact Person: Carol Sanford  
Phone: (586) 497-7606

Material: BONDERITE M-CR 600RTU AERO  
CHROMATE COATING 55GAL  
Known as: ALODINE 600 RTU  
Material-No: 595387  
Batch no: PB63787187  
Quantity: 1.000 DR  
Expiration date: 1095 Days from the Production Date  
Production date: 13/September/2016

Specification	Analysis	Specification	Dimens.
Content [mass%] Phosphorus Concentration in PPM	0.514	0.001 - 8.000	ppm
TOTAL CHROME	3.00	2.80 - 3.20	ml
FREE ACIDITY ML	4.86	4.40 - 5.80	ml
TOTAL ACIDITY ML	18.67	16.80 - 18.80	ml
specific gravity	1.018	1.008 - 1.028	g/cm3
Mil spec	OK	-	-

The above data represent the results of our quality assessment. They do not free the purchaser from his own quality check nor do they confirm that the product has certain properties or is suitable for a specific application.

(This certificate is created by an electronic system and is valid without a signature).

Henkel Corporation  
www.henkel.com

Tel.: (586) 497-7606